AHSC AFP Innovation Fund

FORM G2 - SUBSTITUTION REQUEST

GENERAL INFORMATION

Date (dd/mm/yy)		
Name of AFP Governance Organization Chair	Title	
Name of AFP Governance Organization	Name of Institution	
Declaration of AFP Governance Organization Chair		
I	do hereby declare that	
have reviewed and approved the following Submissions for 2024-25 Innovation Funding.		
Yes		

PROJECT TO BE REPLACED #1

Project from Year 17 you would like to replace and by which contingency project from Year 17

IF Project Code		
Project Title		
Project Lead(s)		
Total amount originally funded for	Project duration	
\$	1 Year	2 Years

What are the reasons for the project's lack of progress? - maximum 3000 characters including spaces

Which contingency project from Year 17 would you like to replace this with?

IF Project Code

Project Title

Project Lead(s)

TOTAL Innovation Funds originally requested by Governance Organization for this project for ALL YEARS (as per Year 17 G1)

\$

Form D must accompany any request for substitutions.

Have you uploaded Form D from the Project Lead of this "contingency" project that indicates they are able to initiate the project immediately and within the existing budget available from the project being replaced?

|--|

PROJECT TO BE REPLACED #2

Project from Year 17 you would like to replace and by which contingency project from Year 17

IF Project Code			
Project Title			
Project Lead(s)			
Total amount originally funded for	Project Duration		
\$	1 Year	2 Years	

What are the reasons for the project's lack of progress? - maximum 3000 characters including spaces

Which contingency project from Year 17 would you like to replace this with?

IF Project Code

Project Title

Project Lead(s)

TOTAL Innovation Funds originally requested by Governance Organization for this project for ALL YEARS (as per Year 17 G1)

\$

Form D must accompany any request for substitutions.

Have you uploaded Form D from the Project Lead of this "contingency" project that indicates they are able to initiate the project immediately and within the existing budget available from the project being replaced?

Yes

No